

Searching for: ((search or request or query or retrieve or match) near ((exact or completed or completion or entire or full or total or whole) near (term or word))) near ((unspecified or character\$1 or symbol\$1 or portion or partial or part) near (noun or verb or phrase or grammar or (word near structure) or adjective or syntactic or morphological or categorize or categorization or categorical)) ([start a new search](#))

((search or request or query or retrieve or match) near ((exact or completed or completion or entire or full or total or whole) near (term or word))) near ((unspecified or character\$1 or symbol\$1 or portion or partial or part) near (noun or verb or phrase or grammar or (word near structure) or adjective or syntactic or morphological or categorize or categorization or categorical)) was not found. Start a new search or use the navigation below to refine the total result set.

## REFINE YOUR SEARCH

[Search Results](#) • [Related Journals](#) • [Related Magazines](#) • [Related SIGs](#) • [Related Conferences](#)

Refine by Keywords

Discovered Terms

Refine by People


[Names](#)  
[Institutions](#)  
[Authors](#)  
[Editors](#)  
[Advisors](#)  
[Reviewers](#)

Refine by Publications

[Publication Year](#)  
[Publication Names](#)  
[ACM Publications](#)  
[All Publications](#)  
[Content Formats](#)  
[Publishers](#)

Refine by Conferences

[Sponsors](#)  
[Events](#)  
[Proceeding Series](#)

Results 1 - 20 of  
1,586,558Sort by  in  
Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#) [>>](#)1 [Errata: Comments on 'Knowledge Representation Using Fuzzy Petri Nets'](#)[Sheng-Ke Yu](#)February 1995 **IEEE Transactions on Knowledge and Data Engineering**, Volume 7 Issue 1**Publisher:** IEEE Educational Activities DepartmentFull text available:  [Publisher](#)  
[Site](#)**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 1

Abstract: This paper points out a serious mistake in Dr. Chen, Dr. Ke and Dr. Chang's paper.


**Keywords:** Fuzzy Petri Net, fuzzy production rule, fuzzy reasoning, immediate reachability set, knowledge representation, reachability set.2 [LIUM SMT machine translation system for WMT 2010](#)[Patrik Lambert](#), [Sadaf Abdul-Rauf](#), [Holger Schwenk](#)July 2010 **WMT '10: Proceedings of the Joint Fifth Workshop on Statistical Machine Translation and MetricsMATR****Publisher:** Association for Computational LinguisticsFull text available:  [Pdf](#) (132.96  
KB)**Bibliometrics:** Downloads (6 Weeks): 0, Downloads (12 Months): 0, Downloads (Overall): 0, Citation Count: 0

This paper describes the development of French--English and English--French machine translation systems for the 2010 WMT shared task evaluation. These systems were standard phrase-based statistical systems based on the Moses decoder, trained on the provided ...

## ADVANCED SEARCH

 [Advanced Search](#)

## FEEDBACK



Found **1,586,558** of  
**1,586,558**

### 3 [Making Abstract Machines Less Abstract](#)

[John Hannan](#)

August 1991 Proceedings of the 5th ACM Conference on Functional Programming Languages and Computer Architecture

**Publisher:** Springer-Verlag

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 1

### 4 [A platform for pervasive combinatorial trading with opportunistic self-aggregation](#)

[Antonio Di Ferdinando](#), [Ricardo Lent](#), [Erol Gelenbe](#), [Alberto Rosi](#), [Franco Zambonelli](#)

June 2008 **WOWMOM '08: Proceedings of the 2008 International Symposium on a World of Wireless, Mobile and Multimedia Networks**

**Publisher:** IEEE Computer Society

Full text available: [Publisher](#)  
[Site](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 1

We describe a prototype of trading system platform populated by agents who autonomously decide to buy and/or sell items according to a set of local needs which arise dynamically (also by possibly accessing information provided by pervasive devices) by ...

### 5 [Similarity Measurement Between Images](#)

[Chaur-Chin Chen](#), [Hsueh-Ting Chu](#)

July 2005 **COMPSAC '05: Proceedings of the 29th Annual International Computer Software and Applications Conference - Volume 02**, Volume 02

**Publisher:** IEEE Computer Society

Full text available: [Publisher](#)  
[Site](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 2

Experimental results of applying two similarity measurements, Euclidean distance and chord distance, to test a set of six Brodatz's textures are reported. Experiments show that in addition to feature extraction, A similarity measurement between images ...

Also published in:

July 2005 **COMPSAC '05: Proceedings of the 29th Annual International Computer Software and Applications Conference - Volume 02** Volume 02

### 6 [Meromorphic connections on \$P^1\$ and the multiplicity of Abelian integrals](#)

[H. Movasati](#)

April 2006 **Journal of Dynamical and Control Systems**, Volume 12 Issue 2

**Publisher:** Kluwer Academic Publishers

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

In this paper, we introduce the notion of Abelian integrals in differential equations for an arbitrary vector bundle on  $P^1$  with a meromorphic connection. In this general context, we give an upper bound for the maximum multiplicity of Abelian ...


**Keywords:** Abelian integrals, Gauss-Manin connection, meromorphic connection

7 [An Analysis of Knowledge Sharing Incentive Mechanism inside the Enterprise Based on Evolutionary Game](#)

[Yang Liu](#)

August 2008 **I SECS '08**: Proceedings of the 2008 International Symposium on Electronic Commerce and Security

**Publisher:** IEEE Computer Society

Full text available:  [Publisher Site](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

Based on the supposition that enterprise employees are rationality-bounded, this paper establishes an evolutionary game model of knowledge sharing inside enterprise. We can get the evolutionary stable point of the model by calculation. By the analysis ...

8 [SBS releases dual-domain cascade](#)

[Richard Grigonis](#)

November 2000 **Computer Telephony** , Volume 8 Issue 11

**Publisher:** Computer Telephony Magazine

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

9 [A Simple Formalism for Capturing Reduplication in Finite-State Morphology](#)

[Mans Hulden](#), [Shannon T. Bischoff](#)

July 2009 Proceeding of the 2009 conference on Finite-State Methods and Natural Language Processing: Post-proceedings of the 7th International Workshop  
2009 FSMNLP 2008

**Publisher:** IOS Press

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

This paper presents a simple formalism for capturing reduplication phenomena in the morphology and phonology of natural languages. After a brief survey of the facts common in reduplicative elements cross-linguistically, these facts are described in terms ...

**Keywords:** Finite-State Technology, Morphology, Phonology, Reduplication

10 [Supporting RFID-based item tracking applications in Oracle DBMS using a bitmap datatype](#)

[Ying Hu](#), [Seema Sundara](#), [Timothy Chorma](#), [Jagannathan Srinivasan](#)

August 2005 **VLDB '05**: Proceedings of the 31st international conference on Very large data bases

**Publisher:** VLDB Endowment

Full text available:  Pdf (200.93 KB)

**Bibliometrics:** Downloads (6 Weeks): 238, Downloads (12 Months): 3217, Downloads (Overall): 4085, Citation Count: 11

Radio Frequency Identification (RFID) based item-level tracking holds the promise of revolutionizing supply-chain, retail store, and asset management applications. However, the high volume of data generated by item-level tracking poses challenges to ...

11 [Bayesian-based game theoretic model to guarantee cooperativeness in hybrid RF/FSO mesh networks](#)

[Osama Awwad](#), [Ala Al-Fugaha](#), [Bilal Khan](#), [Driss Benhaddou](#), [Mohsen Guizani](#), [Ammar Bayes](#)

November 2009

**GLOBECOM'09**: Proceedings of the 28th IEEE conference on Global telecommunications

**Publisher**: IEEE Press

**Bibliometrics**: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

In this paper we describe an effective new technique by which to guarantee cooperativeness in Hybrid Radio-Frequency/Free Space Optics (RF/FSO) networks. Our approach is based on a novel Bayesian game-theoretic model, and uses a pricing scheme in which ...

**Keywords**: QoS, bayesian game, game theory, hybrid RF/FSO, nash equilibrium, reliable routing


12 [XML Security Using XSLT](#)

[R. G. Bartlett](#), [M. W. Cook](#)

January  
2003

**HI CSS '03**: Proceedings of the 36th Annual Hawaii International Conference on System Sciences (HI CSS'03) - Track 4 - Volume 4 ,  
Volume 4

**Publisher**: IEEE Computer Society

Full text available:  [Publisher](#)  
[Site](#)

**Bibliometrics**: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 1

The eXtensible Markup Language (XML) is regarded generally as having promise of becoming established as the general purpose framework for enabling transfer of data amongst heterogeneous environments. It is of interest therefore to analyse how suitable ...

**Keywords**: XML, XSLT, Security


13 [Square Rooting Algorithms for Integer and Floating-Point Numbers](#)

[R. Hashemian](#)

August 1990

**IEEE Transactions on Computers** , Volume 39 Issue 8

**Publisher**: IEEE Computer Society

Full text available:  [Publisher](#)  
[Site](#)

**Bibliometrics**: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 4

An algorithm for evaluating the square root of integers and real numbers is developed. The procedure consists of two parts: one to obtain a close estimate of the square root and the other to modify the initial value, iteratively, until a precise root ...

**Keywords**: bit-shift operation, close estimate, digital arithmetic, division by 2, fast converging iteration, floating-point numbers, initial value modification, integer numbers, iterative methods, number theory., precise root, real numbers, square rooting algorithms

**14** Furniture production optimization with visual simulation and genetic algorithms

Davorin Kotarac, Mirosljub Kijacic

September 2008

**SMO'08**: Proceedings of the 8th conference on Simulation, modelling and optimization


**Publisher**: World Scientific and Engineering Academy and Society (WSEAS)

**Bibliometrics**: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

The paper is dealing with a real case customized flexible furniture production optimization, represented as a job shop scheduling problem with recirculation where furniture is produced in very small or no series at all. Such a make-to-order production ...

**Keywords**: genetic algorithms, job-shop, optimization, production, recirculation, scheduling, simulation

**15** Bank notes: extreme doceng

 Sara Church

August 2007

**DocEng '07**: Proceedings of the 2007 ACM symposium on Document engineering

**Publisher**: ACM  [Request Permissions](#)

Full text available:  Pdf (195.03 KB)

**Bibliometrics**: Downloads (6 Weeks): 1, Downloads (12 Months): 11, Downloads (Overall): 64, Citation Count: 0

Most people handle bank notes every day without giving them a thought, let alone pondering their complexity. Yet every aspect of a bank note is highly engineered to serve its purpose. Every facet of the bank note's existence, from the materials that ...

**Keywords**: bank notes, counterfeiting, document engineering "in the large", document security, security documents, security printing, security substrates, variable data printing

**16** Visualization of permission checks in java using static analysis

Yoonkyung Kim, Byoung-Min Chang

August 2006

**WISA'06**: Proceedings of the 7th international conference on Information security applications: Part I

**Publisher**: Springer-Verlag

**Bibliometrics**: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

The security manager in Java 2 is a runtime access control mechanism. Whenever an access permission to critical resources is requested, the security manager inspects a call stack to examine whether the program has appropriate access permissions or not. ...

**Keywords**: java, security, stack inspection, static analysis

**17** The expanding roles of function point metrics

Capers Jones

January 2002

IT measurement

**Publisher**: Addison-Wesley Longman Publishing Co., Inc.

**Bibliometrics**: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 1

## 18 [Hybrid Scatter Search and Tabu Search for the Mother Plate Design Problem in the Iron and Steel Industry](#)

[Yongyue Zheng](#), [Lixin Tang](#)

April 2009 **CSO '09: Proceedings of the 2009 International Joint Conference on Computational Sciences and Optimization - Volume 02**, Volume 02

**Publisher:** IEEE Computer Society


Full text available:  [Publisher Site](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

This paper investigates the mother plate design (MPD) problem encountered in the heavy plate mill of the steel enterprise. The aim of the problem is to pack rectangular order plates (that need to be produced) into mother plates that satisfy guillotine ...

**Keywords:** Mother plate design, Two-dimensional bin packing, Scatter search, Tabu search

## 19 [Ant World \(demonstration abstract\)](#)

 [Paul Kanior](#), [Endre Boros](#), [Ben Melamed](#), [Dave Neu](#), [Vladimir Menkov](#), [Qin Shi](#), [Myung-Ho Kim](#)

August 1999 **SIGIR '99: Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval**

**Publisher:** ACM 

Full text available:  Pdf (120.29 KB)


**Bibliometrics:** Downloads (6 Weeks): 0, Downloads (12 Months): 11, Downloads (Overall): 196, Citation Count: 4

## 20 [Reviving Pacbase COBOL-Generated Code](#)

[Jean-Philippe Bernardy](#)

August 2002 **COMPSAC '02: Proceedings of the 26th International Computer Software and Applications Conference on Prolonging Software Life: Development and Redevelopment**

**Publisher:** IEEE Computer Society

Full text available:  [Publisher Site](#)

**Bibliometrics:** Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Downloads (Overall): n/a, Citation Count: 0

We have migrated a large scale application from Pacbase to COBOL. The technique is to apply, in an iterative fashion, a set of small transformation patterns on Pacbase COBOL-output. Thus, equivalence with the Pacbase code is easily verified.

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)  
[>>](#)

The ACM Digital Library is published by the Association for Computing Machinery. Copyright © 2010 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  Adobe Acrobat  QuickTime  Windows Media Player  Real Player